

PRODUCT DESCRIPTION

- Thanks to its small size, it's a perfect match for the miniature KLUŚ profile
- You can guickly move the fastener anywhere relative to the profile
- You can set the fastener at any angle relative to the profile

Fill empty fields

Product nr.

Fixture type

Company

Job name

Date



TECHNICAL SPECIFICATION


Application

- crosswise mounting of the profiles with the "small lock"

Mounting

- attached to the profile with the ZM nut and the pressure screw M3x6. Mounted to the surface with cables or rods

TECHNICAL DRAWING






RELATED PROFILES



GIZA-LL profile Ref: C0758



OPK-4 Profile Ref: C0370



3035 Profile Ref: 18039



JAZ Profile Ref: B8547




OLEK Profile Ref: B8505



PDS-ZM Profile Ref: B7696




GIZA Profile Ref: B5556




LIPOD Profile Ref: B5554



SEPOD Profile Ref: B6593



3035-O Profile Ref: B8441



PIKO-ZM Profile Ref: C1168



PDS-ZMG Profile Ref: C1418



PDS-ZM-PLUS Profile Ref: C2056




4050 Profile Ref: 18050



4050-W Profile Ref: 18051



GIZA-DUO-LL Profile Ref: C2162



LIPOD-50 Profile Ref: C2609



RELATED PRODUCTS

ACCESSORIES




100 PUSZ brass chrome Rod 1 m Ref: 42518



Brass chrome FI-3 Rod 1m Ref: 42501



Steel FI-3 Rod 53 cm Ref: 1528



Steel wire FI-1 1m Ref: 1397